

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|-------------------------------------|------------------|-------------------|---------------|----------------|------------|--|
| R37 | | 1 | AIP Code | Character | 2 | | Y | Y | AIP Code must be valid; edit with the AIP ICE, "D00100". |
| R37 | | 2 | Reinsurance Year | Numeric | 4 | CCYY | Y | Y | Reinsurance Year must be "2018". |
| R37 | | 3 | Record Type Code | Character | 6 | | | Y | Record Type Code must equal "R37". |
| R37 | | 4 | AIP Exception Request Key | Character | 15 | | Y | Y | AIP Exception Request Key must match the corresponding primary Exception Request ("R35") record. |
| R37 | | 5 | AIP Exception Request Commodity Key | Character | 15 | | Y | Y | AIP Exception Request Commodity Key must be unique within the AIP Exception Request Key. |
| R37 | | 6 | Commodity Code | Character | 4 | | | Y | Commodity Code must be valid; edit with the type practice crosswalk D10008. |
| R37 | | 7 | Commodity Year | Numeric | 4 | CCYY | | Y | Must be either RY -1, RY, or RY +1. |
| | | | | | | | | | In ALL cases, if the user has submitted all 4 of the extended Type Codes, then populate the Type Code using the. Type-Practice Crosswalk. |
| R37 | | 8 | Type Code | Character | 3 | | | | Type Code must be blank if the request would require RMA to issue a new code. Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Type Code Details in narrative of request form. |
| | | | | | | | | | Type Code will be blank if the request covers all offered options. Details in narrative of request form. |

"*" = Output Only

1/25/2018

Application Source: ROE
File Group:
Record Name: Exception Request Commodity
Record Code: R37

File Type: Delimited
Reinsurance Year: 2018
Version: Approved
Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|-------------------|------------------|-------------------|---------------|----------------|------------|--|
| | | | | | | | | | Type Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Verify that Type-Practice combinations are valid. |
| R37 | | 9 | Practice Code | Character | 3 | | | | Practice Code will be blank if the request would require RMA to issue a new code. Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Practice Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Practice Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | If the Type Code is blank then Practice Code must be blank. If Type Code is populated then the Practice Code must be populated. |
| | | | | | | | | | In all cases, if the user has submitted all 4 of the extended Practice Codes, then populate the Practice Code using the Type-Practice Crosswalk. |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|---------------------|------------------|-------------------|---------------|----------------|------------|---|
| R37 | | 10 | Commodity Type Code | Character | 3 | | | | Commodity Type Code will be blank if the request would require RMA to issue a new code. Commodity Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Commodity Type Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Commodity Type Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Commodity Type Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | Commodity Type Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Commodity Type Code using the Type-Practice Crosswalk. |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|-------------------|------------------|-------------------|---------------|----------------|------------|--|
| R37 | | 11 | Class Code | Character | 3 | | | | Class Code will be blank if the request would require RMA to issue a new code. Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Class Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Class Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Class Code must be blank if any of the other 7 types and practices are blank |
| | | | | | | | | | Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Class Code using the Type-Practice Crosswalk. |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|-------------------|------------------|-------------------|---------------|----------------|------------|--|
| R37 | | 12 | Sub Class Code | Character | 3 | | | | Sub Class Code will be blank if the request would require RMA to issue a new code. Sub Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Sub Class Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Sub Class Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Sub Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | Sub Class Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Sub Class Code using the Type-Practice Crosswalk. |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|-------------------|------------------|-------------------|---------------|----------------|------------|--|
| R37 | | 13 | Intended Use Code | Character | 3 | | | | Intended Use Code will be blank if the request would require RMA to issue a new code. Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | Intended Use Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended Use Code using the Type-Practice Crosswalk. |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|--------------------------|------------------|-------------------|---------------|----------------|------------|--|
| R37 | | 14 | Irrigation Practice Code | Character | 3 | | | | Irrigation Practice Code will be blank if the request would require RMA to issue a new code. Irrigation Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Irrigation Practice Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Irrigation Practice Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Irrigation Practice Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | Irrigation Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Irrigation Practice Code using the Type-Practice Crosswalk. |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|------------------------|------------------|-------------------|---------------|----------------|------------|--|
| R37 | | 15 | Cropping Practice Code | Character | 3 | | | | Cropping Practice Code will be blank if the request would require RMA to issue a new code. Cropping Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Cropping Practice Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Cropping Practice Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Cropping Practice Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | Cropping Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Cropping Practice Code using the Type-Practice Crosswalk. |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|-----------------------|------------------|-------------------|---------------|----------------|------------|--|
| R37 | | 16 | Organic Practice Code | Character | 3 | | | | Organic Practice Code will be blank if the request would require RMA to issue a new code. Organic Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Organic Practice Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Organic Practice Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Organic Practice Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | Organic Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Organic Practice Code using the Type-Practice Crosswalk. |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|-------------------------------|------------------|-------------------|---------------|----------------|------------|--|
| R37 | | 17 | Interval Code | Character | 3 | | | | Interval Code will be blank if the request would require RMA to issue a new code. Interval Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Interval Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Interval Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Interval Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | Interval Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Interval Code using the Type-Practice Crosswalk. |
| R37 | * | 18 | Initial Accepted Batch Number | Numeric | 4 | 9999 | | | Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA. |

"*" = Output Only

1/25/2018

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record Number</u> | <u>Output</u> | <u>Field Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max Length</u> | <u>Format</u> | <u>BUS Key</u> | <u>Req</u> | <u>Rules</u> |
|----------------------|---------------|---------------------|-----------------------|------------------|-------------------|-------------------------|----------------|------------|--|
| R37 | * | 19 | Initial Accepted Date | Date/Time | 21 | CCYMMDD hh:mm:ss.fff | | | Initial Accepted Date is the original date assigned when this record was first received at RMA. |
| R37 | * | 20 | Batch Received Date | Date/Time | 21 | CCYMMDD hh:mm:ss.fff | | | Batch Received Date is the date that the AIP file is received by RMA. |
| R37 | * | 21 | Batch Number | Numeric | 4 | 9999 | | | Batch Number is a sequential number assigned when an AIP file is received. |
| R37 | * | 22 | Batch Record ID | Numeric | 15 | | | | Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during processing. Batch Record ID is unique within the record type for the batch. |
| R37 | * | 23 | Process Result Code | Character | 1 | | | | Process Result Code equals the final result code as determined by PASS processing, refer to the Process Result ICE , "D00002". |

Application Source: ROE

File Type: Delimited

File Group:

Reinsurance Year: 2018

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

Release Date: 1/31/2018

| <u>Record</u> <u>Number</u> | <u>Output</u> <u>Number</u> | <u>Field</u> <u>Number</u> | <u>Field Name</u> | <u>Data Type</u> | <u>Max</u> <u>Length</u> | <u>Format</u> | <u>BUS</u> <u>Key</u> | <u>Req</u> | <u>Rules</u> |
|--------------------------------|--------------------------------|-------------------------------|-------------------|------------------|-----------------------------|---------------|--------------------------|------------|--------------|
|--------------------------------|--------------------------------|-------------------------------|-------------------|------------------|-----------------------------|---------------|--------------------------|------------|--------------|

Record Level Rules

Must have an accepted R35.

Record must be submitted between 2017-07-01 and 2023-02-01.

Must be a valid Commodity Year based on the Reinsurance Year, and Commodity Code.

Record will not be accepted when processing has been suspended for this record type per RMA directive.

If there is a 37A submitted, it must be accepted for the R37 to be accepted. (WARNING ONLY)